* D	
AD	

Award Number: DAMD17-00-1-0131

TITLE: Role of Novel Matrix-Degrading Metalloproteinase in Breast Cancer Invasion

PRINCIPAL INVESTIGATOR: Sudhir V. Shah, M.D.

CONTRACTING ORGANIZATION: University of Arkansas

Little Rock, Arkansas 72205-7199

REPORT DATE: May 2002

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20021025 318

Form Approved

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (070-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank	. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED				
	May 2002	Annual (1 May			
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS		
Role of Novel Matrix-Degrading	Role of Novel Matrix-Degrading Metalloproteinase in Breast Cancer Invasion DAMD17-00		DAMD17-00-	-1-0131	
6. AUTHOR(S)					
Sudhir V. Shah, M.D).				
7. PERFORMING ORGANIZATION NA	AME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION		
			REPORT NU	VIBER	
University of Arkan	ısas				
Little Rock, Arkans	as 72205-7199				
E-Mail: shahsudhirv@uams					
Brians Shansadhii vedams	.eau				
9. SPONSORING / MONITORING A	GENCY NAME(S) AND ADDRESS(ES	5)	10. SPONSORI	NG / MONITORING	
			AGENCY R	EPORT NUMBER	
U.S. Army Medical Research and	Materiel Command				
Fort Detrick, Maryland 21702-50	012				
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION / AVAILABILITY STATEMENT				12b. DISTRIBUTION CODE	
Approved for Public Rel	lease; Distribution Unl	limited			
13. ABSTRACT (Maximum 200 Wo	rdal		***************************************	L	
13. ABSTRACT (Waximum 200 Wo	us/				
				:	
				:	
	A CUID FOT TODAY		AE AUGUSTES OF DAOS		
14. SUBJECT TERMS			15. NUMBER OF PAGES		
reast cancer, matrix-degrading metalloproteinase		-	7		
	16. PRICE CODE		TO. PRICE CODE		
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSI	FICATION	ATION 20. LIMITATION OF ABSTRACT	
OF REPORT Unclassified	OF THIS PAGE Unclassified	OF ABSTRACT		Unlimited	
Unclassified	Unclassified	Unclassif	ied		

Table of Contents

Cover
SF 298
Introduction1
Body1
Reportable Outcomes3
Conclusions3
References4
AppendicesNone

Annual Progress Report

Award number: DAMD17-00-1-0131

Period covered: May 1, 2001 – April 30, 2002

Title: "Role of novel matrix-degrading metalloproteinase in breast cancer invasion"

Principal Investigator: Sudhir V. Shah, M.D.

INTRODUCTION

The objectives of the present proposal are to identify and clone the protein recognized by the anti-meprin antibody; to study its functional characteristics relevant to invasion; and to examine its prevalence in breast cancer patients. We hypothesized that breast cancer cells are capable of breaking down the extracellular matrix barrier and this plays an important role in breast cancer invasion and metastasis. This study is based on our previous observation that breast cancer tissue expresses a meprin-like protein, which can be identified by immunostaining of breast cancer tissue using anti-meprin antibody.

During the first year, our research was focused on the expression of meprin alpha in bacteria and raising antibody to the recombinant protein in order to have a tool for the identification of the meprin-like protein in tissues and extracted proteins. We also performed immunohistology studies of human breast tumor and kidney tumor tissues, and produced data on experimental tumor growth with and without inhibition of meprin.

BODY

During the second year, we attempted to clone the protein recognized by the antimeprin antibody, which is expressed in breast cancer tissue. We used human breast cancer cDNA expression library in lambdaSCREEN (Novagen). Plating this library allows IPTG-induced expression of cDNA inserts as polypeptides with the following




Figure 1. Screening of lambdaSCREEN (Novagen) human breast cancer cDNA expression library with anti-meprin. Last round shows purified clone 1.


detection using antibody. After rounds of cloning (Figure 1), we have selected five clones with antireacted meprin antibody, and purified four of them to homogeneity. Some nucleotide homology was observed between the clones (Figure 2), none however, them was meprin. Two clones were 97% homologous to beta-2microglobulin (B2M), and two other were

99% homologous to LINE-1 retrotransposon. Although B2M expression was found by Klein et al (1) to correlate with breast tumors, it is a frequent finding during library

```
gcaggattctgggcccgaccactagaaattctactttagtatgcctgagatggagcgaag 60
Query: 1
         Sbjct: 161626 gcaggattctgggcccgaccactagaaattctactttagtatgcctgagatggagcgaag 161685
         Query: 61
                    Query: 121
         catttctacatgcataattcagtgacattgttgtgcaaccatcaccattatccatctcca 180
         Sbjct: 161746 catttctacatgcataattcagtgacattgttgtgcaaccatcaccattatccatctcca 161805
         qaactttttcatcatcttqqcctqqaactctqcacctqttaaacaataactccccaattc 240
Query: 181
         Sbjct: 161806 gaactttttcatcatcttggcctggaactctgcacctgttaaacaataactccccaattc 161865
         ctcctccctgcaggctctggaaactaccattctactttctgtctctatgaattgaactat 300
Query: 241
         Sbjct: 161866 ctcctccctgcaggctctggaaactaccattctactttctgtctctatgaattgaactat 161925
         tctaggtatctcagaagtgaaatcatatagtatttgtccttttattttttggcttctttca 360
Query: 301
         Sbjct: 161926 tctaggtatctcagaagtgaaatcatatagtatttgtccttttatttttggcttctttca 161985
         cttaqtaaaatattttcaagattcgcccatgctgcagcatcagaattc 408
Query: 361
         Sbjct: 161986 cttagtaaaatattttcaagattcgcccatgctgcagcatcagaattc 162033
Figure 4. Homology between clone 3 and human LINE-1 mRNA (GenBank access number
AC019171)
```

screening. More interestingly, LINE-1 retrotransposones encode a 40-kDa protein (p40) with unknown function (2). Several studies showed that this protein is expressed in invasive breast carcinomas, but not in non-malignant carcinomas or normal breast tissue (2, 3).

To express, purify and further characterize the cloned proteins, they have been sub-cloned in pJYN expression vector (Figure 5).






Figure 5. Final inserts sub-cloned in pJYN after digestion with restriction enzymes BamH1 and HindIII.

KEY RESEARCH ACCOMPLISHMENTS:

- (1) library screened with anti-meprin for meprin-like protein expression;
- (2) four positive clones have been identified;
- (3) two of them are homologous to beta-2-microglobulin, and two other are

homologous to LINE-1 retrotransposon sequence coding p40 protein with unknown function, which was shown to be expressed in invasive breast tumors; (5) sequences are sub-cloned in pJYN vector for *in vitro* expression.

REPORTABLE OUTCOMES

Wang JY, Singh AB, Walker PD, Basnakian AG, Shah SV (2002) Meprin-like metalloproteinase: a possible participant in breast tumor development. To be presented at: Era of Hope 2002 Department of Defense Cancer Research Program Meeting, September 25-28, Orlando, FL

CONCLUSIONS

Our data may inducate that p40 is a meprin-like protein which is important for breast cancer invasion and metastasis. These data are in good correlation with our previously obtained results suggesting that breast tumor development is dependent on the meprin or meprin-like proteinase activity in the tissue.

REFERENCES

- (1) Klein T, Levin I, Niska A, Koren R, Gal R, Schachter J, Kfir B, Narinski R, Warchaizer S, Klein B. Correlation between tumour and serum beta 2m expression in patients with breast cancer. Eur J Immunogenet 1996 Dec;23(6):417-23
- (2) Bratthauer GL, Cardiff RD, Fanning TG. Expression of LINE-1 retrotransposons in human breast cancer. Cancer 1994 May 1;73(9):2333-6
- (3) Asch HL, Eliacin E, Fanning TG, Connolly JL, Bratthauer G, Asch BB. Comparative expression of the LINE-1 p40 protein in human breast carcinomas and normal breast tissues. Oncol Res 1996;8(6):239-47

APPENDICES N/A